

Lexmark ES460dn



PRINT



Up to 40 ppm



DUPLEX



NETWORK



High-endurance printing delivered in a compact design!



LEXMARKTM

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Keep your productivity up and costs way down with the Lexmark ES460dn. Network-ready with an intuitive display, it offers effortless operation, confidential printing, advanced security and management tools, and practical ways to lower your running costs – including built-in duplex printing and Lexmark Extra High Yield Toner Cartridges.



Powerfully simple

With its rapid time-to-first-page, the Lexmark ES460dn is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 40 ppm
- User-friendly 4-line graphical display



Hassle-free management

Your day is too busy to spend time on maintenance issues. The Lexmark ES460dn brings simplified management to your fingertips. Experience enhanced security and time savings with a range of high-end features you typically wouldn't expect on such attractively priced printers.

- Lexmark remote management tools available
- Customized early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customizable operator panel messaging



Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark ES460dn offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Extra High Yield Toner Cartridges (up to 15,000* pages)
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing
- Expandable paper capacity up to 850 sheets



Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment. The Lexmark ES460dn is designed with eco-conscious features to help you reduce paper and save energy.

- Built-in duplex saves paper
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Program for easy recycling



Lexmark ES460dn

**High-endurance printing
for busy workgroups – in a compact size!**

Small in size, BIG on savings!



Affordable printing

Reduce operating costs with multiple toner level settings and Lexmark Extra High Yield Toner Cartridges.



Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.




Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



Printing	
Print Technology	Monochrome Laser
Print Speed (Letter, Black): Up to	40 ppm
Time to First Page (Black)	As fast as 6.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image
Memory, Standard	64 MB
Memory, Maximum	576 MB
Print Noise Level, Operating	53 dBA
Noise Level, Idle	Inaudible dBA
Maximum Monthly Duty Cycle: Up to	80,000 pages per month
Recommended Monthly Page Volume	1,500 - 10,000 pages
Supplies	
Supplies Yield (*Average standard page yield value declared in accordance with ISO/IEC 19752.)	15,000*-page Extra High Yield Toner Cartridge
Cartridge(s) Shipping with Product	7,000*-page starter Return Program Toner Cartridge
Paper Handling	
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer
Paper Input Capacity, Standard: Up to	300 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	850 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard: Up to	150 pages 20 lb or 75 gsm bond
Paper Output Capacity, Maximum: Up to	150 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio
Compatibility	
Network Protocol Support	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification)
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B)
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services, Windows 7
Apple Macintosh Operating Systems Supported	Mac OS X (10.2 or later), Mac OS 9.2
Other Operating Systems Supported	www.lexmark.com
General	
Product Certifications	www.lexmark.com
Size (in. - H x W x D)	10.2 x 15.98 x 14.55 in.
Weight (lb.)	30.87 lb.
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F)



■ Paper Handling Standard
■ Paper Handling Optional

Part #	Model
34S0750	Lexmark ES460dn
Part #	Laser Toner/Print Cartridge
24B1236	Extra High Yield Return Program Cartridge
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
34S0550	550-Sheet Drawer
34S0250	250-Sheet Drawer
Part #	Memory Options
1022298	128MB DDR1-DRAM
1022299	256MB DDR1-DRAM
1022301	512MB DDR1-DRAM
14F0245	256MB Flash Card
Part #	Application Solutions
30G0829	Lexmark PrintCrypton Card
34S0970	E460 Forms and Bar Code Card
Part #	Connectivity
1021231	Parallel Cable (10') Cable
1021294	USB (2-meter) Cable
14T0145	Lexmark N4050e 802.11g Wireless Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server

In the box

Lexmark E460dn Laser Printer, up to 7,000-page* starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex, Print and Hold, multi-up, and printing on recycled paper help reduce paper consumption
- Power Saver Mode reduces energy consumption
- Extra High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste



Maximum Monthly Duty Cycle

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

Recommended Monthly Page Volume

Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.